

016 Daijokito

	Date of Making or Revision of Package Insert	Product Name Manufacturer Distributor	Approval No. Date of Initial Marketing in Japan	Dose for One Day (g)	Extract Content in One Day Dose (g)	Inactive Ingredients	Dosage Form	ID Code (Item Number, etc.)	Indications	Daily Dosage and Administration (Adult)	Packaging	Component Ratio			
												Immature Orange	Magnolia Bark	Rhubarb	Anhydrous Sodium Sulfate
1	Revised: Jan 2023 (1st version)	Kotaro Daijokito Extract Fine Granules Kotaro Pharmaceutical Co., Ltd.	16100AMZ03966000 Oct 1986	6.0	2.3	Magnesium Stearate, Corn Starch, Lactose Hydrate, Pullulan, Magnesium Aluminometasilicate	Fine granules	N133	A	before or between meals, 2 or 3 times	500g [bottle, loose] 2.0g x 42 packets [sachets] 2.0g x 231 packets [sachets]	2.0	5.0	2.0	0.9
2	Revised: Dec 2023 (1st version)	TSUMURA Daijokito Extract Granules for Ethical Use Tsumura & Co.	16100AMZ01163000 Oct 1986	7.5	3.0	JP Light Anhydrous Silicic Acid, JP Magnesium Stearate, JP Lactose Hydrate	Granules	TSUMURA/133	A	before or between meals, 2 or 3 times	500g[bottle] 2.5g x 42 packets [pouch] 2.5g x 189 packets [pouch]	3.0	5.0	2.0	1.3

Table of Indications

A	The following symptoms of those patients who have constipation associated with hardness of and a blocked feeling in the abdomen or those patients who have constipation predisposed to obesity: Chronic constipation, acute constipation, hypertension, neurosis, and food poisoning
---	---