

032 Hangekobokuto

	Date of Making or Revision of Package Insert	Product Name Manufacturer Distributor	Approval No. Date of Initial Marketing in Japan	Dose for One Day (g)	Extract Content in One Day Dose (g)	Inactive Ingredients	Dosage Form	ID Code (Item Number, etc.)	Indications	Daily Dosage and Administration (Adult)	Packaging	Component Ratio					
												Pinellia Tuber	Poria Sclerotium	Magnolia Bark	Perilla Herb	Ginger	Fresh Ginger
1	Revised: Sep 2023 (1st version)	Honzo Hangekobokuto Extract Granules-M Honzo Pharmaceutical Co., Ltd.	16100AMZ04160000 Oct 1986	7.5	2.0	Lactose Hydrate, Magnesium Aluminummetasilicate, Magnesium Stearate	Granules	H16	A-1	before or between meals, 3 times	500g [loose,bottle] 735g(2.5g x 294 packets) [sachets] 105g(2.5g x 42 packets) [sachets]	6.0	5.0	3.0	2.0	1.0	
2	Revised: Jan 2024 (1st version)	JPS Hangekobokuto Extract Granules for Ethical Use JPS Pharmaceutical Co., Ltd.	16100AMZ04764000 Oct 1987	7.5	2.2	Mg Stearate, Sucrose Esters of Fatty Acids, Lactose Hydrate	Granules	J-16	A-1	before or between meals, 2 or 3 times	500g 750g (2.5g x 300 packets) 105g (2.5g x 42 packets)	6.0	5.0	3.0	3.0	1.0	
3	Revised: Sep 2022 (1st version)	JUNKOU Hangekobokuto FC Extract Fine Granules for Ethical Use Kohwayakutuu Inc. Ohsugi Pharmaceutical Co., Ltd.	16100AMY00372000 Oct 1986	4.5	2.0	Corn Starch, Lactose Hydrate	Fine granules	FC 16	A-1	before or between meals, 2 or 3 times	126g (1.5g x 84 packets)[sachets]	6.0	5.0	3.0	2.0	1.0	
4	Revised: Jul 2023 (1st version)	Kotaro Hangekobokuto Extract Fine Granules Kotaro Pharmaceutical Co., Ltd.	16100AMZ038330000 Oct 1986	6.0	2.2	Magnesium Stearate, Corn Starch, Lactose Hydrate, Pullulan, Magnesium Aluminummetasilicate	Fine granules	N16	B	before or between meals, 2 or 3 times	500g [bottle,loose] 2.0g x 42 packets [sachets] 2.0g x 231 packets [sachets]	6.0	5.0	3.0	2.0	1.0	
5	Revised: Oct 2023 (1st version)	Kracie Hangekobokuto Extract Fine Granules Kracie, Ltd. Kracie Pharmaceutical, Ltd.	16100AMZ03848000 Oct 1986	6.0	1.5	JP Magnesium Stearate, JP Microcrystalline Cellulose, JP Lactose Hydrate, Hydrated Silicon Dioxide	Fine granules	KB-16 (3.0g per sachet) EK-16 (2.0g per sachet)	A-1	before or between meals, 2 or 3 times	(KB-16) 3.0g x 28 packets [sachets] 3.0g x 168 packets [sachets] (EK-16) 2.0g x 42 packets [sachets] 2.0g x 294 packets [sachets] 500g[bottle]	6.0	5.0	3.0	2.0	1.3	
6	Revised: Oct 2023 (1st version)	Kracie Hangekobokuto Extract Tablets Ominedo Pharmaceutical Industry Co., Ltd. Kracie Pharmaceutical, Ltd.	21900AMX00641000 Dec 1987	3.6 (12 tablets)	1.5	JP Povidone, JP Synthetic Aluminum Silicate, JP Carmellose Calcium, JP Magnesium Stearate, JP Microcrystalline Cellulose	Tablets	EKT-16	A-1	before or between meals, 2 or 3 times	168 tablets (4 tablets x 3 packets x 14 sheets)[sachets] 1,764 tablets (4 tablets x 3 packets x 147 sheets)[sachets]	6.0	5.0	3.0	2.0	1.3	
7	Revised: Sep 2022 (1st version)	OHSUGI Hangekobokuto Extract Granules G Ohsugi Pharmaceutical Co., Ltd.	16100AMZ03877000 Oct 1986	3.0	1.4	Lactose Hydrate, Corn Starch, Magnesium Stearate	Granules	SG-16	A-2	before or between meals, 2 or 3 times	500g [bottle] 294g (1.0g x 294 packets)[sachets] 84g (1.0g x 84 packets)[sachets]	6.0	5.0	3.0	2.0	1.0	
8	Revised: Sep 2022 (1st version)	OHSUGI Hangekobokuto Extract T Tablets Ohsugi Pharmaceutical Co., Ltd.	16100AMZ04187000 Oct 1986	3.72 (12 tablets)	1.4	Microcrystalline Cellulose, Magnesium Aluminummetasilicate, Carmellose Calcium, Magnesium Stearate, Hypromellose, Titanium Oxide, Food Yellow No.5 Aluminium Lake, Food Blue No.1 Aluminium Lake, Food Red No.3 Aluminium Lake	Tablets (Film-coated tablets)	SG-16T	A-1	before or between meals, 2 or 3 times	1,176 tablets (4 tablets x 294 packets)[sachets] 336 tablets (4 tablets x 84 packets)[sachets]	6.0	5.0	3.0	2.0	1.0	
9	Revised: Sep 2022 (1st version)	SANWA Hangekobokuto Extract Fine Granules Sanwa Shoyaku Co., Ltd.	16100AMZ03627000 Nov 1986	4.5	2.6	Lactose Hydrate, Corn Starch, Microcrystalline Cellulose, Partly Pregelatinized Starch, Light Anhydrous Silicic Acid	Fine granules	S-13	C	before or between meals, 3 times	500g[bottle] 1.5g x 300 packets[sachets]	6.0	5.0	3.0	2.0	1.0	
10	Revised: Feb 2024 (1st version)	Taikodo Hangekobokuto Extract Granules Taikoseido Pharmaceutical Co., Ltd.	16200AMZ00098000 Oct 1987	4.5	3.0	JP Lactose Hydrate, JP Magnesium Stearate	Granules	Tai TM-16	A-1	before or between meals, 3 times	500g[bottle] 1.5g x 84 packets[sachets] 1.5g x 336 packets[sachets]	6.0	5.0	3.0	3.0	1.0	
11	Revised: Nov 2023 (1st version)	Toyo Hangekobokuto Extract Fine Granules Toyo Yakuko Co., Ltd.	16300AMY00046000 Oct 1988	6.0	3.0	Corn Starch(excipient)	Fine granules	TY-093	A-1	on empty stomach, 3 times	500g[bottle] 2.0g x 252 packets[sachets]	6.0	5.0	3.0	2.0	4.0	
12	Revised: Dec 2023 (1st version)	TSUMURA Hangekobokuto Extract Granules for Ethical Use Tsumura & Co.	16100AMZ03263000 Oct 1986	7.5	2.5	JP Magnesium Stearate, JP Lactose Hydrate, Sucrose Esters of Fatty Acids	Granules	TSUMURA/16	D	before or between meals, 2 or 3 times	500g [bottle] 5kg (500g x 10) [pouch] 2.5g x 42 packets [sachets] 2.5g x 189 packets [sachets]	6.0	5.0	3.0	2.0	1.0	

Table of Indications

A-1	The following symptoms of those patients who have depressed feelings and a feeling of foreign body in the throat and oesophagus and who sometimes have palpitation, dizziness, nausea, etc.: Anxiety neurosis, nervous gastritis, hyperemesis gravidarum, coughing and hoarseness
A-2	The following symptoms of those patients who have depressed feelings and a feeling of foreign body in the throat and oesophagus and who sometimes have palpitation, dizziness, nausea, etc.: Anxiety neurosis, gastrointestinal neurosis, hyperemesis gravidarum, coughing and hoarseness
B	The following symptoms of those patients with mental dysequilibrium, blocked feeling from the throat to chest, and feeling of fullness in the stomach sometimes accompanied by usually weak digestive function, nausea, and vomiting: Bronchitis, hoarseness, paroxysmal cough, bronchial asthma, neurotic esophageal stenosis, weak stomach, cardiac asthma, neurosis, neurasthenia, phobia, insomnia, morning sickness, other vomiting syndrome, climacteric neurosis, edema, and neurologic headache
C	The following symptoms of those patients who have anxiety,blocked feeling from the throat to chest, epigastric discomfort, insomnia, phobia, anorexia, coughing, etc.: Bronchial asthma, bronchitis, pertussis, hyperemesis gravidarum, hoarseness, gastric neurosis, climacteric neurosis, nervous pharyngalgia, and neurosis
D	The following symptoms of those patients who have depressed feelings and a feeling of foreign body in the throat and oesophagus and who sometimes have palpitation, dizziness, nausea, etc.: Anxiety neurosis, nervous gastritis, hyperemesis gravidarum, coughing, hoarseness, nervous oesophageal stricture, and insomnia